


Sno-Thro®

Parts Manual



A Message to Ariens Parts Manual User

Your Ariens Dealer will be happy to supply any service or advice which may be required to keep your Ariens equipment operating at peak efficiency. He stocks genuine Ariens parts and lubricants; manufactured with the same precision and skill as the original equipment. His factory trained staff is kept well informed on the best methods of servicing Ariens equipment and is ready and able to

service you. If engine repairs or services are required, they can be obtained from an Ariens Dealer or from an authorized engine manufacturer's service center. If service is required, be prepared to supply the service person with the Model Number and Serial Number of the equipment and engine, as well as a full description of the problem encountered.

Introduction

The information contained here in is intended for use by Ariens Dealer's trained servicemen and serves as a supplement to and reminder of training sessions conducted by Ariens Company. Before you attempt any repair, adjustment or maintenance project, be certain that you have read and fully understand the instructions in your Owner's and Repair Manuals. Understand and follow each Danger, Warning, Caution and all instructions exactly as given. Also be sure that you have all tools, replacement parts and other materials required to complete the project.

A network of Ariens Dealers and Distributors is maintained in order to assure you of an adequate supply of replacement parts and technical assistance. Your local Ariens Dealer is required to order parts thru his distributor. When replacement parts are required, use only genuine Ariens parts. Failure to do so may result in product malfunction and possible injury to operator and/or bystander. NOTE:

All references to "Left", "Right", "Front" and "Rear" are given from operators position.

NOTE: The descriptions and specifications contained in this manual were in effect at the time the manual was approved for printing. Ariens Company reserves the right to discontinue models without notice and without incurring obligation. The equipment described within this manual may not be identified as either standard or optional and the various illustrations may not all be applicable to your particular unit. If you have questions, always check with your Ariens Dealer.

NOTE TO ARIENS DEALERS: Refer to your current Parts Price List for suggested parts stocking. Service training for dealers is available at the Ariens Service School. See your Ariens Distributor for the latest school schedule.

Model

Contents

| Model 924050 (ST824) | Model 924074 (ST524) | Decals | 2-3 |
|--|--|---|-----|
| 8HP - 24" Sno-Thro | 5HP - 24" Sno-Thro | Handlebars and Controls | 4 |
| Serial No. 050501 and up | Serial No. 000101 and up | Speed Selector and Wheels | |
| Model 924051 (TT8) 8HP - Sno-Thro Tractor | Model 924075 (ST824) 8HP - 24" Sno-Thro | Engine and Belt Drive | 8 |
| Serial No. 000501 and up | Serial No. 000101 and up | Reduction Drive | |
| Model 924071 (ST1136) 11HP - 36" Sno-Thro | Model 924076 (ST1236) 12HP - 36" Sno-Thro | Friction Wheel Drive | |
| Serial No. 001701 and up | Serial No. 000101 and up | Gear Case - Cast Iron | 16 |
| Model 924073 (ST1032) | Model 924077 (ST828) | Gear Case - Aluminum | 18 |
| 10HP - 32" Sno-Thro | 8HP - 28" Sno-Thro | Brush | 20 |
| Serial No. 005301 and up | Serial No. 000101 and up | Alternator/Headlight | 22 |
| | | 120 Volt Electric Starter | 23 |
| | | 12 Volt Starter (Models 924050, 73, 74) | 23 |
| | | 12 Volt Starter (Model 924071) | 24 |
| ATTACHMENTS | | Differential | 25 |
| | | Slicer Bar | 26 |
| Model 824004 - 36" Rotary Brush | | Tire Chains | 26 |
| | | Adaptor and Air Cleaner | 26 |

This manual covers the models listed. Specific Model and Serial Numbers of your unit and attachment are on a label on the unit. Record these numbers in the space provided and use them whenever parts or service are required.

| Model Number - | |
|-----------------|-------------|
| Serial Number - | |

How To Order Repair Parts

This Parts Manual is arranged for easy identification of genuine Ariens Service parts that are illustrated showing their relationship to one another. Item numbers in the illustrations correspond to Item numbers in the first column of the parts list and are followed by the Ariens Part Number, Description and Quantity with variations between models and/or serial numbers designated in the part description. SN 000000> means this serial number and up, with SN <000000 meaning up to this serial number.

Order parts from your nearest authorized Ariens Dealer. For prompt service when ordering parts, provide the following information.

- MODEL AND SERIAL NUMBERS OF EQUIPMENT.
- 2. PART NUMBER (not Item Number)
- 3. DESCRIPTION
- 4. QUANTITY REQUIRED

Part No. PM-24-88 Supercedes PM-24-84, 85, 87 Printed in U.S.A. 8/88

Decals

A DANGER



ROTATING PARTS Stop engine & remove ignition key before clearing.

077992

| FRANCE | 077992-01 |
|---------|-----------|
| FINLAND | 077992-05 |
| SWEDEN | 077992-03 |
| NORWAY | 077992-04 |
| GERMANY | 077992-02 |

AWARNING

MUFFLER & ADJACENT AREAS MAY EXCEED 150°F.

078601

| FRANCE | 078677 |
|---------|--------|
| FINLAND | 078816 |
| SWEDEN | 078854 |
| NORWAY | 078855 |
| GERMANY | 078953 |

Engine Primer Push to prime

078606

| 078684 |
|--------|
| 078818 |
| 078883 |
| 078858 |
| 078955 |
| |

ACAUTION

CHECK INTERLOCK BEFORE EACH USE. IF CLUTCHES DO NOT FUNCTION PROPERLY, PER OWNERS MANUAL **ADJUST OR REPAIR BEFORE** OPERATING UNIT.

077875

| FRANCE | 077875-01 |
|---------|-----------|
| FINLAND | 077875-05 |
| SWEDEN | 077875-03 |
| NORWAY | 077875-04 |
| CERMANY | 077875-02 |

Choke

078603

| FRANCE | 078683 |
|---------|--------|
| FINLAND | 078940 |
| SWEDEN | 078842 |
| NORWAY | 077848 |
| GERMANY | 078951 |

Clutch Lever

Depress for attachment drive

078617

| FRANCE | 078674 |
|---------|--------|
| FINLAND | 078821 |
| SWEDEN | 078884 |
| NORWAY | 078859 |
| GERMANY | 078947 |

A DANGER



ROTATING PARTS Keep clear of auger while engine is running.

SAFETY INSTRUCTIONS

AVOID POTENTIAL HAZARDS

- Read owners manual for operating and safety instructions.

 2. Observe all labets and instructions.

 3. Stop engine remove ignition key and wast for all movement to stop before unciogging or servicing machine.

 4. Never allow children to operate the equipment. Never allow adults to operate the equipment without proper instruction.

 5. Keep the area of operation clear of all persons, especially children.

 6. Never direct discharge at bystanders or allow anyone in front of unit.

 7. Keep machine properly maintained and serviced with all shields, guards, and protective devices in place. and protective devices in place

077991

| 0 | ,,,, |
|---------|-----------|
| FRANCE | 077991-01 |
| FINLAND | 077991-05 |
| SWEDEN | 077991-03 |
| NORWAY | 077991-04 |
| GERMANY | 077991-02 |



| U/00UZ | | |
|---------|--------|--|
| FRANCE | 078682 | |
| FINLAND | 078822 | |
| SWEDEN | 078838 | |
| NORWAY | 078849 | |
| GERMANY | 078946 | |

Clutch Lever

Depress for wheel drive

078616

| | - |
|---------|--------|
| FRANCE | 078675 |
| FINLAND | 078820 |
| SWEDEN | 078885 |
| NORWAY | 078860 |
| GERMANY | 078950 |

THIS ENGINE HAS PROVISIONS FOR **ELECTRIC STARTER AND** ALTERNATOR/LIGHT KITS.

077996

| FRANCE | 077996-01 |
|---------|-----------|
| FINLAND | 077996-05 |
| SWEDEN | 077996-03 |
| NORWAY | 077996-04 |
| GERMANY | 077996-02 |



8 H.P. 077873 10 H.P. 077874 12 H.P. 077813

Decals

Attention

When using summer attachments, remove heater box and install air cleaner.

Engine Instructions

CAUTION:

For your personal protection, read all safety notes in engine owner's manual.

OPERATION:

For detailed lubrication, starting & operating instructions, see engine owner's manual & equipment mfr.'s instructions.

LUBRICATION: Summer SAE 30 Oil Winter SAE 5W-30 Oil

078828

FRANCE 078832 **FINLAND** 078834 SWEDEN 078839 NORWAY 078865 **GERMANY** 078958



078935

| FRANCE | 078942 |
|---------|--------|
| FINLAND | 078942 |
| SWEDEN | 078942 |
| NORWAY | 078942 |
| GERMANY | 078942 |



078644

| FRANCE | 078685 |
|---------|--------|
| FINLAND | 078833 |
| SWEDEN | 078846 |
| NORWAY | 078853 |
| GERMANY | 078834 |



078827

| FRANCE | 078831 |
|---------|--------|
| FINLAND | 078966 |
| SWEDEN | 078827 |
| NORWAY | 078827 |
| GERMANY | 078827 |
| | |

riens ST824

5 H.P. 078640

7 H.P. 078641

8 H.P. 078642

10 H.P. 078643

11 H.P. 078934

This engine has provisions for electric starter kit. 0786074

078607

FRANCE SWEDEN **GERMANY** 078686 078844 078945

Throttle

Deflector 1/4 Turn To Lock

Raise Push To .ower

078936

| FRANCE | 078968 |
|---------|--------|
| FINLAND | 078967 |
| SWEDEN | 078943 |
| NORWAY | 078944 |
| GERMANY | 078964 |

CAST IRON BORE

077976

| FRANCE | 077976-0° |
|---------|-----------|
| FINLAND | 077976-0 |
| SWEDEN | 077976-03 |
| NORWAY | 077976-04 |
| GERMANY | 077976-0 |

078604

| FRANCE | 078693 |
|---------|--------|
| FINLAND | 078819 |
| SWEDEN | 078882 |
| NORWAY | 078857 |
| GERMANY | 078957 |




ST 824 077899 ST 828 077811 ST 1032 077900 ST 1136 077901 ST 1236 077812



CERTIFICATION APPLIES WITH ARIENS SUPPLIED COMPLIANCE PACKAGE INSTALLED.

DIE BESTÄTIGUNG GILT FÜR DAS VON ARIENS GELIEFERTE KOMFOR-MITATS - MATERIAL.

077805



5 H.P. Engine Decal 078611


7 H.P. Engine Decal 078637

8 H.P. Engine Decal 078636

10 H.P. Engine Decal 078635

11 H.P. Engine Decal 078933


Handlebars and Controls



Handlebars and Controls

| ITEM | PART | | | ITEM | | | |
|------|-------|--------------------------------|------|------|--------------------|-------------------------------|-----|
| NO | NO | DESCRIPTION | QTY | NO. | NO . | DESCRIPTION | QTY |
| 1 | 32135 | Wheel Drive Clutch Lever | , 1 | 37 | 67001 _° | Cotter Pin 3/32 x 3/4 | 1 |
| 2 | 24431 | Upper Handlebar | 1 | 38 | 24272 | Clutch Fork | 1 |
| | | (50,51,71,73,74,76,77) | | 39 | 24069 | Fork Pivot Rod | 1 |
| | 24573 | Upper Handlebar (75) | 1 | 40 | 67002 | Cotter Pin 3/32 x 1'' | 2 |
| 3 | 65056 | Flange Whiz-Lock Nut 1/4-20 | 5 | 41 | 524047 | Spring Assembly | 2 |
| 4 | 64094 | Washer .260/.270 x .5 x .087 | 1 | 42 | 24228 | Clutch Engagement Yoke | 1 |
| 5 | 59050 | Cap Screw 1/4-20 x 1-1/2 | 1 | 43 | 63019 | Lock Washer 5/8 | 1 |
| 6 | 65075 | Key Switch Nut 5/8-32 | 1 - | 44 | 32010 | Lever Clutch | 1 |
| 7 | 13157 | Key | 2 | 45 | 24429 | Lever | 1 |
| 8 | 75095 | Snap Bushing | 1 | 46 | 58026 | Roll Pin 5/32 x 7/8 | 1 |
| 9 | 55131 | Sleeve Bushing | 1 | 47 | 55037 | Flange Bushing | 1 |
| 10 | 65040 | Center Lock Nut 1/4-20 | 3 | 48 | 65018 | Nut 3/8-16 | 4 |
| 11 | 64037 | Washer .281 x 1.250 x .062 | 2 | 49 | 63004 | Lock Washer 3/8 | 4 |
| 12 | 55132 | Sleeve Bushing | 2 | 50 | 24446 | L.H. Lower Handlebar | 1 |
| 13 | 24459 | Slider | 1 | 1 | 24447 | R.H. Lower Handlebar | 1 |
| 14 | 83149 | Extension Spring 2-3/4 | 1 | 51 | 69012 | Clamp | 1 |
| 15 | 24433 | Traction Clutch Rod | 1 | 52 | 62062 | Carriage Bolt 5/16-18 x 1-1/2 | 2 |
| | | (50,51,71,73,74,76,77) | | 53 | 62067 | Carriage Bolt 5/16-18 x 3/4 | 2 |
| 15 | 24444 | Traction Clutch Rod (75) | 1 | 54 | 83183 | Extension Spring 5-1/4 | 1 |
| | 83187 | Extension Spring 4'' | 1 | 55 | 2270 | Clutch Chain | 1. |
| 17 | 67019 | Hair Pin | 1 | 56 | 65078 | Flange Whiz-Lock Nut 5/16-18 | 4 |
| 18 | 65099 | Hex Jam Nut 1/4-20 | 2 | 57 | 24467 | L.H. Stiffener | 1 |
| 19 | 60036 | Set Screw 1/4-20 x 3/4 | | 1 | 24468 | R.H. Stiffener | 1 |
| 20 | 24458 | Clevis Pin | 1 | 58 | 67018 | Pin-Cotter Pin 1/8 x 1/2 | 1 |
| 21 | 24457 | Clevis | 2 | 59 | 524062 | Upper Handlebar Panel w/Decal | 1 |
| 22 | 64090 | Washer .312/.343 x .875 x .062 | 2 | 60 | 75050 | Snap Bushing | 1 |
| 23 | 10358 | Spacer Bushing | 1 | 61 | 62060 | Carriage Bolt 1/4-20 x 1-1/2 | 4 |
| 24 | 24460 | Bellcrank | 1 | 62 | 22153 | Push Nut | 4 |
| 25 | 65042 | Two Way Lock Nut 5/16-18 Gr A | 2 | 63 | 24539 | Pin | 2 |
| 26 | 58005 | Roll Pin 3/16 x 1/8 | 1 | 64 | 22129 | Handle Pivot | 2 |
| 27 | 59028 | Cap Screw 1/4-20 x 1/2 | 1 | 65 | 74039 | Tapping Screw #12-14 x 1-1/2 | 4 |
| 28 | 24549 | Stud Brace | 1 | 66 | 24456 | Attachment Clutch Rod | 1 |
| 29 | 59022 | Cap Screw 5/16-18 x 3/4 | 1 | 67 | 32136 | Attachment Clutch Lever | 1 |
| 30 | 65062 | Nylon Lock Nut 5/16-18 | 1 | 68 | 75006 | Grip | 2 |
| 31 | 10542 | Adapter Spacer | 1 | 69 | 22161 | Shorting Wire | 1 |
| 32 | 24227 | Adapter | 1, . | 70 | 74015 | Taptite 1/4-20 x 3/8 | 1 |
| 33 | 24086 | Spacer | 1 | 71 | 24551 | Jumper (71) | 1 |
| 34 | 60012 | Set Screw 5/16-18 x 3/8 | 1 | | 24584 | Jumper (73,76,77) | 1 |
| 35 | 22135 | Rod Adapter | 1 | 72 | | Wire Clip | 1 |
| 36 | 83094 | Extension Spring 3-1/16 | 1 | 73 | 24565 | Key Switch Assembly | 1 |

Speed Selector and Wheels




Speed Selector and Wheels

| ITEM NO | PART NO | DESCRIPTION | QTY | ITEM NO | PART NO | DESCRIPTION | QTY |
|------------|------------|--------------------------------|-----|------------|------------|---|-----|
| 1 | 57086 | Snap Ring 1/2 | 1 | 22 | 71037 | | 2 |
| 2 | 75096 | Knob | 1 | | 71050 | Inner Tube 6 x 4.10/3.50 (75) | 2 |
| 3 | 24448 | Rod | 1 0 | , | 71087 | Inner Tube 8 x 6.50 (71,73) | 2 |
| 4 | 83184 | Extension Spring 1-1/16 | 1 | | 71052 | | 2 |
| 5 | 24443 | Pivot | 1 | | 71076 | | 2 |
| 6 | 65042 | Two Way Lock Nut 5/16-18 Gr A | 3 | 1 | 71077 | Rim 8 x 6.50 (71,73,76) | 2 |
| 7 | 65040 | Center Lock Nut 1/4-20 | 1 | | 71021 | (A)Turf Saver Tire 8 x 6.50 (71,73 | 2 |
| 8 | 59132 | Cap Screw 1/4-20 x 1 | 1 | | 71046 | (A)Turf Saver Tire 6 x 4.10/3.50 (75) | 2 |
| 9 | 59131 | Cap Screw 5/16-18 x 2-1/4 | 1 | | 71052 | (A)Turf Saver Wheel w/Tire (71,73) | 2 |
| 10 | 67024 | Cotter Pin 1/8 x 3/4 | 1 | | 71082 | (A)Turf Saver Tire (50,51,74) | 2 |
| 11 | 24442 | Upper Shift Rod | 1 | | 71151 | (A)Turf Saver Wheel w/Tire (50,51,74) | 2 |
| 12 | 65031 | Nut 5/16-24 | 1 | ļ | 71165 | | 2 |
| 13 | 67001 | Cotter Pin 3/32 x 3/4 | 3 | | 71216 | (B)Snow-Hog Tire 16 x 6.50-8 (71,73,76) | 2 |
| 14 | 24493 | Shift Link | 2 | | 71217 | (B)Snow-Hog Wheel w/Tire | 2 |
| 15 | 12151 | Clevis Pin | 2 | İ | | 6.50 (71,73,76) | |
| 16 | 24441 | Lower Shift Rod | 1 | | 71218 | (B)Snow-Hog Tire 4.80/4.00-8 (50,51,77) | 2 |
| 17 | 24232 | Shift Arm Lever | 1 | ļ. | 71219 | (B)Snow-Hog Wheel w/Tire | 2 |
| 18 | 24588 | Frame (50,51,73,77) | 1 | | | 4.50/4.00 x 8 (50,51,77) | |
| | 24502 | Frame (71) | 1 | 23 | 3377 | Hub Cap | 1 |
| | 24436 | Frame (74,75) | . 1 | 24 | 74063 | Taptite 1/2-20 x 5/8 | - 8 |
| | 24589 | Frame (76) | 1 | 25 | 59039 | Cap Screw 5/16-18 x 1/2 | 1 |
| 19 | 24430 | Bottom Cover | 1 | 26 | 24231 | Shift Lever Bracket | 1 |
| 20 | 35169 | Spindle Cup | 1 | 27 | 74014 | | 7 |
| 21 | 10366 | Pushnut (50,51,71,73) | 1 | 28 | 59136 | Cap Screw 5/16-18 x 3 | 1 |
| | 67014 | Cotter Pin 1/8 x 1-1/4 (74,75) | 1 | 29 | 24115 | Spacer | 1 |
| | 0.011 | | | 30 | 75167 | Hole Plug | 1 |

⁽A) 924050 S/N (085100 924051 S/N (000700 924071 S/N (008200 924073 S/N (012400

⁽B) 924050 S/N 085101> 924051 S/N 000701> 924071 S/N 008201> 924073 S/N 012401>

Engine and Belt Drive



Engine and Belt Drive

| ITEM NO | PART NO | DESCRIPTION | QTY | ITEM NO | PART NO | DESCRIPTION | QTY |
|------------|------------|--------------------------------------|-------------|------------|------------|---------------------------------|-----|
| | | Order Engine and Parts from | | 20 | 65077 | Nylon Lock Nut 5/8-18 | 1 |
| | | Engine Manufacturers Dealer | | 21 | 72066 | V-Belt (50,51,73,74,77) | 1 |
| 1 | 82196 | 5 HP Engine (74) | 1 | | 72098 | V-Belt (75) | 1 |
| | | Tecumseh HSK50-65496 | | | 72131 | V-Belt (71,76) | 1 |
| | 82236 | 7 HP Engine (75) | 1 | 22 | 70060 | Rib Neck Bolt 5/16-18 x 7/8 | 3 |
| 1 | | Tecumseh HSK70-130210K | | 23 | 73070 | Pulley | Ĭ |
| | 82197 | (A)8 HP Engine (50,51) | 1 | 24 | 24236 | Belt Retainer (71,73,76,77) | 1 |
| | | Tecumseh HMSK80-155276J | | 25 | 59028 | Cap Screw 1/4-20 x 1/2 | 2 |
| | 82214 | (B)8 HP Engine (50,51) | 1 | 26 | 65040 | Center Lock Nut 1/4-20 | 2 |
| | | Tecumseh HMSKBO-155276K | | 27 | 72086 | V-Belt (50,74) | 1 |
| | 82233 | (C)8 HP Engine (50,51,77) | - 1 | 27 | 72108 | V-Belt (73,75,77) | i |
| | | Tecumseh HMSK80-155316M | | | 72130 | V-Belt (71,76) | 1 |
| | 82173 | (A)10 HP Engine (73) | 1 | 28 | 24389 | Hub | , i |
| | J | Tecumseh HMSK100-159024J | • | 29 | 65078 | Flange Whiz-Lock Nut 5/16-18 | 3 |
| | 82215 | (B)10 HP Engine (73) | 1 | 30 | 65042 | Two Way Lock Nut 5/16-18 Gr A | 2 |
| | OLL . O | Tecumseh HMSK100-159024K | | 31 | 64007 | Washer .307/.327 x .734 x .065 | 1 |
| | 82255 | (C)10 HP Engine (73) | 1 | 32 | 24574 | Idler | 2 |
| | OLLOO | Tecumseh HMSK100-159119M | , | 33 | 12131 | Bearing Spacer | . 1 |
| | 82174 | (A)11 HP Engine (71) | 1 | 34 | 59069 | Cap Screw 5/16-18 x 1-1/4 | 2 |
| | 02177 | Briggs & Stratton 252416-0632-01 | | 35 | 24348 | Idler Arm | 1 |
| | 82235 | (B)11 HP Engine (71) | 1 | 36 | 24354 | Clevis Pin | 1 |
| | 02233 | Briggs & Stratton 252416-0739-01 | | 37 | 24347 | _ • | 1 |
| | 82275 | 12 HP Engine (76) | 1 | 38 | 74015 | Bracket Taptite 1/4-20 x 3/8 | 5 |
| | 02213 | Tecumseh OHSK 120-222001 | - ! | 39 | 67001 | Cotter Pin 3/32 x 3/4 | J |
| 2 | 25208 | Hex Cap (50,51,73) | 1 | 40 | 24353 | | 1 |
| 3 | 12222 | | 1 : | 41 | | Return Clip | 1 |
| | | Nipple (50,51,73) | - 1 | | 74054 | Taptite #10-24 x 3/8 | 2 |
| 4 | 10485 | Street Elbow (50,51,73) | . 4 | 42 | 24428 | Activating Shaft | 1 |
| 5 | 35101 | Tube (71) | · | 43 | 83172 | Extension Spring 3-3/8 | 1 |
| 6 | 30199 | Hose Clamp (71) | 1 | 44 | 55037 | Flange Bushing | 1 |
| 7 | 35105 | Drain Lock (71) |] | 45 | 11031 | Spacer | 1 |
| 8 | 35077 | Bushing (71) | 1 | 46 | 24537 | Idler Arm | 1 |
| 9 | 74049 | Taptite 1/4-20 x 1/2 | 2 | 47 | 83094 | Extension Spring 3-1/16 | 1 |
| 10 | 64065 | Washer .263/.273 x .562 x .046 | 1 | 48 | 67004 | Cotter Pin 1/8 x 1'' | 1. |
| 11 | 24406 | Belt Cover | 1 | 49 | 64052 | Washer .380/.385 x .812 x 24 Ga | 1 |
| 12 | 24253 | Belt Finger (50,51,73,74,75) | 1 | 50 | 10260 | Wave Washer | 1 |
| | 24505 | Belt Finger (71) | 1 | 51 | 24507 | R.H. Support | 1 |
| 13 | 64002 | Washer .370/.390 x .875 x .083 | 5 | 52 | 24501 | L.H. Support | 1 |
| 14 | 63032 | Lock Washer 5/16 | 2 | 53 | 63003 | Lock Washer 5/16 | 4 |
| 15 | 59053 | Cap Screw 5/16-24 x 3/4 Gr 5 | 2 | 54 | 65015 | Nut 5/16-18 | 4 |
| 16 | 60012 | Set Screw 5/16-18 x 3/8 | 4 | 55 * | 24597 | Plate | 1 |
| 17 | 24021 | Engine Pulley ((75) | ,1 . | 56 | 75097 | Knob W/10-24 | 1 |
| | 24357 | Engine Pulley (50,51,71,73,74,76,77) | 1 | | | Tapped Metal Insert (71) | : |
| 18 | 66018 | Straight Key 1/4 x 1-3/4 x 1/4 | 1 | 57 | 24587 | Spacer | ` 4 |
| 19 | 73049 | Pulley | 1 . | | | \$ | |

```
(A)924050 S/N (063957

924051 S/N (000530

924071 S/N (008200

924073 S/N (007797

(B)924050 S/N 064100> (085100

924051 S/N 000600> (000700

924071 S/N 008201>

924073 S/N 007901> (012400


(C)924050 S/N 085101>

924071 S/N 000701>

924073 S/N 012401>

924077 S/N 000101>
```

Reduction Drive




Reduction Drive

| TEM NO | PART NO | DESCRIPTION | QTY | ITEM NO | PART NO | DESCRIPTION | QTY |
|-----------|------------|---|-----|------------|------------|--|-------|
| 1 | 74015 | Taptite 1/4-20 x 3/8 | 6 | 28 | 58029 | Roll Pin 5/32 x 1'' | 1 |
| 2 | 24077 | | 2 | 29 | 58009 | Roll Pin 1/8 x 1'' | i |
| 3 | 12023 | Bearing Retainer (74,75) | 2 | 30 | 24074 | Pinion Chain | i |
| | 24363 | (A)Bearing Retainer (50,51,71,73) | - 2 | 31 | 524002 | Pinion & Sprocket (75) | 1 |
| | 24578 | (B)Bearing Retainer (50,51,71,73,76,77) | 2 | | 524032 | Pinion & Sprocket (50,51,71,73,74,76,7 | 77) i |
| 4 | 54136 | (A)Ball Bearing (50,51,71,73) | 2 | 32 | 55026 | Flange Bushing | · ′ 2 |
| | 54177 | (B)Ball Bearing (50,51,71,73,76,77) | 2 | 33 | 13136 | Zerk Fitting | 1 |
| | 55030 | Bushing (74) | 2 | 34 | 10211 | Spur Gear (75) | i |
| | 55039 | Bushing (75) | 2 | | 24396 | Spur Gear (74) | i |
| 5 | 64033 | Washer .750/.760 x 1.375 x .125 | 2 | | 524053 | Differential (50,51,71,73) | 2 |
| Section 1 | 64170 | Washer 1.135/1.145 x 1.718 x .134 | 2 | 35 | 524054 | L.H. Axle (71,73) | ī |
| 6 | 70011 | Rib Neck Bolt 1/4-20 x 5/8 | 8 | | 524055 | L.H. Axle (50,51) | 1 |
| | 70058 | Rib Neck Bolt 1/4-20 x 1/2 | 8 | 36 | 55057 | Sleeve Bushing | i |
| . 7 | 65056 | Flange Whiz-Lock Nut 1/4-20 | 8 | 37 | 63025 | Lock Washer 1/4 | 1 |
| 8 | 24045 | Hex Shaft (50,51,71,73,74) | 1 | 38 | 22093 | Zerk Fitting | 2 |
| | 24338 | Hex Shaft (75) | 1 | 39 | 55029 | Sleeve Bushing | 1 |
| 9 | 66015 | Woodruff Key 1/8 x 5/8 x 1/4 | 1 | 40 | 58042 | Groove Pin 1/4 x 1-3/4 | i |
| 10 | 10276 | 9 Tooth Sprocket | 1 | 41 | 524059 | Lockout Hub Assembly (50,51,71,73) | i |
| 11 | 12078 | Idler Chain (75) | 1 | 42 | 58032 | Roll Pin 3/32 x 1'' | i |
| | 24073 | Idler Chain (50,51,71,73,74) | 1 | 43 | 10375 | Knob | i |
| 12 | 64003 | Washer .526/.546 x 1.062 x .095 | 2 | 44 | 10372 | Lockout Hub | i |
| 13 | 3085 | Bearing Flange | 1 | 45 | 83007 | Compression Spring 1" | 1 |
| 14 | 54080 | Radial Bearing 1/2 I.D. | 1 | 46 | 10374 | Pin | i |
| 15 | 24141 | Bearing Flange | 1 | 47 | 24323 | Wheel Hub (75) | 2 |
| 16 | 65094 | Twin Whiz-Lock Nut #10-24 | 4 | | 24398 | Wheel Hub (74) | 2 |
| 17 | 65054 | Center Lock Nut 1/2-20 | 1 | 48 | 64033 | Washer .750/.760 x 1.375 x .125 | 2 |
| 18 | 65018 | Nut 3/8-16 | 2 | | 64036 | Washer .875/.885 x 1.380 x .062 | 2 |
| | 63014 | Lock Washer 3/8 | 2 | 49 | 58003 | Roll Pin 3/16 x 1-1/4 | 2 |
| 20 | 64093 | Washer .380/.385 x .812 x .062 | 2 | 50 | 67014 | Cotter Pin 1/8 x 1-1/4 | 2 |
| 21 | 24475 | Reduction Shaft | 1 | 51 | 66011 | Feather Key 3/16 x 1-1/4 x 3/16 | 2 |
| 22 | 55040 | Sleeve Bushing | 2 | 52 | 24322 | Axle Shaft (75) | 1 |
| 23 5 | 524052 | Reduction Sprocket | 1 | i | 24397 | Axle Shaft (74) | 1 |
| | 24366 | Shaft Support (50,51,71,73,74,76,77) | 1 | 53 | 66008 | Woodruff Key 1/4 x 7/8 x 3/8 | 1 |
| | 24339 | Clutch Stop (75) | 1 | | 66012 | Woodruff Key 1/4 x 3/4 x 5/16 | 1 |
| 25 | 74052 | Taptite 1/4-20 x 1/2 ~ | 1 | 54 | 58030 | Roll Pin 3/16 x 1-1/2 | 1 |
| 26 | 64039 | Washer .625/.635 x 1.005 x 24 Ga | 5 | 55 | 24371 | R.H. Axle (71,73) | 1 |
| 27 | 24367 | Pinion Shaft | 1 | | 24409 | R.H. Axle (50,51) | 1 |

```
(A)924050 S/N (085100
924051 S/N (000700
924071 S/N (008200
924073 S/N (012400
(B)924050 S/N 085101)
924051 S/N 000701)
924071 S/N 008201)
924073 S/N 012401)
```

Friction Wheel Drive




Friction Wheel Drive

Models 924050, 51, 71, 73, 74, 75, 76, 77

| TEM NO | PART NO | DESCRIPTION | QTY | ITEM NO | PART NO | DESCRIPTION | QTY |
|-----------|------------|--------------------------------|-----|------------|------------|---------------------------------|-----|
| 1 | 10546 | Drive Disc | 1 | 15 | 24081 | Carrier Shaft | 1 |
| 2 | 24071 | Drive Disc Spacer | 1 | 16 | 58029 | Roll Pin 5/32 x 1'' | 2 |
| 3 | 24076 | Spindle | 1 | 17 | 55026 | Flange Bushing | 2 |
| 4 | 66006 | Woodruff Key 1/8 x 1/2 x 13/64 | 1 | 18 | 65086 | Nylon Lock Nut 7/8-14 | 1 |
| 5 | 22003 | (A)Spindle Housing | 1 | 19 | 55126 | Sleeve Bushing | 1 |
| 5 | 24582 | | - 1 | 20 | 524046 | Carrier | 1 |
| 6 | 54039 | Ball Bearing | 2 | 21 | 54093 | Radial Bearing | 1 |
| 7 | 24155 | Bearing Spacer | 1` | 22 | 64071 | Washer .877/.887 x 1.250 x .062 | 2 |
| 8 | 22002 | (A)Housing Mount | 1 1 | 23 | 57021 | Snap Ring 1-3/4 x .062 | 1 |
| | 24581 | (B)Housing Mount | 1 1 | 24 | 24454 | Friction Wheel Hub | : 1 |
| 9 | 3034 | Roller | 1 | 25 | 3003 | Friction Wheel | 1 |
| 10 | 64123 | Washer .339/.359 x .687 x .065 | 1 | 26 | 74014 | Taptite 5/16-18 x 1/2 | 5 |
| 11 | 63003 | Lock Washer 5/16 | 1 | 27 | 24455 | Spindle Hub | 1 |
| 12 | 59003 | Cap Screw 5/16-18 x 1'' | 1 | 28 | 74014 | Taptite 5/16-18 x 1/2 | 3 |
| 13 | 24077 | Shaft Support | 1 | | | | |
| 14 | 74015 | Taptite 1/4-20 x 3/8 | 2 | | | | |

(A)924050 S/N (085100 924051 S/N (000700 924071 S/N (008200 924073 S/N (012400 924074 S/N 000101) 924075 S/N 000101) (B)924050 S/N 085101) 924051 S/N 000701) 924071 S/N 008201) 924073 S/N 012401

Auger/impeller



Auger/Impeller


| ITEM NO | PART NO | DESCRIPTION | QTY | ITEM NO | PART NO | DESCRIPTION | QTY |
|------------|------------|---|----------|------------|------------|-----------------------------------|-------|
| 1 | 524061 | (A) Deflector (50,73,74,75) | 1 | 31 | 22093 | Zerk Fitting | 4 |
| | 531144 | (B) Deflector (71,73,76,77) | 1 | 32 | 524013 | 32'' R.H. Auger (73) | 1 |
| 2 | 10198 | Cap | 1 | , | 524014 | 32'' L.H. Auger (73) | 1 |
| 3 | 75083 | Knob | 1 | | 524039 | 24'' R.H. Auger (50,74,75) | 1 |
| 4 | 24461 | Chute Control Crank | 1 | | 524040 | 24" L.H. Auger (50,74,75) | 1 |
| | | (50,73,74,75,76,77) | | | 524063 | 28'' R.H. Auger (77) | 1 |
| | 24508 | Chute Control Crank (71) | 1 | | 524064 | 28'' L.H. Auger (77) | 1 |
| 5 | 67004 | Cotter Pin 1/8 x 1'' (50,74,75) | 1 | 1 | 535034 | 36'' R.H. Auger (71,76) | 1 |
| | 67010 | | 2 | | 535035 | 36'' L.H. Auger (71,76) | 1 |
| 6 | 524050 | Universal Joint | 2 | 33 | 510015 | Shear Bolt w/Nut | 2 |
| 7 | 58034 | Roll Pin 1/8 x 3/4 | 3 | 34 | 64046 | Washer 1.005/.1.015 x 1.505 x . | 062 2 |
| 8 | 24346 | Rod (50,73,74,75) | 1 | 35 | 24374 | Bearing Support | 2 |
| | 24504 | | 1 | 36 | 65056 | Flange Whiz-Lock Nut 1/4-20 | 6 |
| 9 | 24434 | Chute Crank Bracket | 1 | 37 | 55035 | Flange Bushing | 2 |
| | | (50,73,74,75,76,77) | | 38 | 64047 | Washer .506/.516 x 1.441 x .125 | |
| | 24503 | Chute Crank Bracket (71) | 1 | 39 | 63006 | Lock Washer 1/2 | 2 |
| 10 | 10494 | Worm Shaft (50,73,74,75) | 1 | 40 | 59024 | Cap Screw 1/2-13 x 1" | 2 |
| | 24514 | Worm Shaft (71,73,76,77) | 1 | 41 | 83164 | Extension Spring 5-1/4 | 1 |
| 11 | 10260 | Wave Washer (50,73,74,75) | 1 | 42 | 65040 | Center Lock Nut 1/4-20 | 4 |
| | 13202 | Wave Washer (71,73,76,77) | 1 | 43 | 24405 | Arm Extension (50,74) | 1 |
| 12 | 24500 | L.H. Worm Gear | 1 | 44 | 524048 | Arm w/Lining | 1 |
| 13 | 64168 | Plastic Washer .390 x .875 x .062 | 1 | 45 | 24481 | Clevis Pin | 1 |
| 14 | 62034 | | 1 | 46 | 67039 | Cotter Pin 1/16 x 3/4 | 1 |
| 15 | 22123 | Worm Clevis | 1 | 47 | 22178 | Brake Lining | 1 |
| 16 | 63035 | Lock Washer 3/8 | 1 | 48 | 68067 | Oval Rivet 3/16 x 7/16 | 2 |
| 17 | 63023 | Lock Washer 5/16 | 1 | 49 | 59080 | Cap Screw 1/4-20 x 5/8 | 1 |
| 18 | 65015 | Nut 5/16-18 | 3 | 50 | 70026 | Retainer Nut | 2 |
| | 524036 | 24" Auger/Impeller Housing (75) | 1 | 51 | 70031 | Flange Whiz-Lock Screw 3/8-16 x | 3/4 2 |
| : 3 | 524037 | | 1 | 52 | 10142 | Bearing Flange (50,74,75) | 1 |
| | 524038 | 32" Auger/Impeller Housing (73) | 1 | | 31859 | Bearing Flange (71,73,76,77) | 1 |
| | 524043 | | 1 | 53 | 74069 | Taptite #10-24 x 1/2 | . 8 |
| | 524065 | 28'' Auger/Impeller Housing (77) | 1 | 54 | 24590 | Chute Clamp | 4 |
| 20 | 24599 | Runner (50,74,75) | 2 | 55 | 67001 | Cotter Pin 3/32 x 3/4 | 1 |
| | 30755 | Runner (71,73,76,77) | 2 | 56 | 69137 | Control Cable (71,73,76,77) | 1 |
| 21 | 64002 | Washer .370/.390 x .875 x .083 | 15 | 57 | 61065 | Machine Screw #10-32 x 1/2 | 1 |
| 22 | 65039 | Two Way Lock Nut 3/8-16 Gr A | 5 | 58 | 75137 | Tee Handle (71,73,76,77) | 1 |
| 23 | 62013 | Carriage Bolt 3/8-16 x 1'' | 2 | 59 | 24535 | Deflector Control Bracket | 1 |
| 24 | 62010 | Carriage Bolt 3/8-16 x 3/4 | 5 | " | 27000 | (71,73,76,77) | Į. |
| 25 | 54052 | Ball Bearing (71,73) | 1 | 60 | 24548 | (A) Discharge Chute (71,73,76,77) | 1 |
| | 54063 | Radial Bearing (50,74,75) | 1 | 00 | 24499 | | i |
| 26 | 3017 | Bearing Flange (50,74,75) | 1 | 61 | 65001 | Jam Nut 3/8-16 | 2 |
| 20 | 31860 | Bearing Flange (30,74,73) Bearing Flange (71,73,76,77) | | " | 65039 | Two Way Lock Nut 3/8-16 Gr A | 2 |
| 27 | 70058 | Rib Neck Bolt 1/4-20 x 1/2 | 6 | 62 | 64043 | Washer .401/.421 x .812 x .065 | 2 |
| 28 | 10164 | Scraper Blade (50,74,75) | 1 | 02 | 64067 | Washer : 390 x .875 x 7 Ga | 1 |
| ۷. | 24373 | Scraper Blade (30,74,73) | 1 | 63 | 64168 | Plastic Washer .390 x .875 x .062 | 1 |
| | | | 1 % 4 | | 59023 | Cap Screw 3/8-16 x 3/4 | 2 |
| | 24592 | Scraper Blade (77) | 1 | 64 65 | 24496 | | 4 |
| 200 | 35192 | Scraper Blade (71,76) | - | 65 | | Cable Guide (71) | 1 |
| 29 | 62033 | Carriage Bolt 5/16-18 x 5/8 | 5 | 66 67 | 63003 | Lock Washer 5/16 | |
| 30 | 65042 | Two Way Lock Nut 5/16-18 Gr A | 13 | 67 | 69170 | Cable Tie | .1 |

⁽A) 924073 S/N (015900

⁽B) 924073 S/N 015901>

Gear Case Cast Iron

Models 924071, 73, 76, 77




16

Gear Case Cast Iron

Models 924071, 73, 76, 77

| ITEM NO | PART NO | DESCRIPTION | QTY | ITEM NO | PART NO | DESCRIPTION | QTY |
|------------|------------|-------------------------------|-----|------------|------------|---------------------------------|-----|
| 1 | 58015 | Roll Pin 5/16 x 1-3/4 | 2 | 18 | 4037 | Dust Cap | 1 |
| 2 | 24376 | Impeller | 1 | 19 | 58030 | Roll Pin 3/16 x 1-1/2 | 2 |
| 3 | 66001 | Woodruff Key 3/16 x 7/8 x 3/8 | 1 | 20 | 24002 | Gear Case | 1 |
| 4 | 24375 | Worm Shaft | 1 1 | 21 | 55059 | Flange Bushing | 2 |
| 5 | 66013 | Straight Key 3/16 x 1" x 3/16 | 1 [| 22 | 64087 | Washer 1.623/1.627 x 2.5 x .012 | 2 |
| 6 | 24015 | Adjustment Plug | 1 1 | 23 | 66008 | Woodruff Key 1/4 x 7/8 x 3/8 | 1 |
| 7 | 56061 | Seal 1'' ID | 1 | 24 | 24064 | Gear Case Shaft | 1 |
| 8 | 54044 | Bearing Cup | 2 | 25 | 2008 | Gasket | 1 |
| 9 | 54045 | Bearing Cone | 2 | 26 | 24013 | Gear Case Cover | 1 |
| 10 | 2005 | Bearing Spacer | 2 | 27 | 63017 | Lock Washer 1/4 | 4 |
| | 524009 | Worm & Gear Set | 1 1 | . 28 | 59001 | Cap Screw 1/4-20 x 3/4 | 4 |
| 12 | 57075 | Snap Ring 1-25/32 x .062 | 1 | 29 | 24065 | Auger Shaft (73) | - 1 |
| 13 | 56070 | Seal 1-5/8 ID | 2 | | 24596 | Auger Shaft (77) | 1 |
| 14 | 1138 | Pipe Plug | 1 1 | | 35195 | Auger Shaft (71,76) | 1 |
| 15 | 64082 | Washer .323/.333 x 1'' x .094 | 1 | 30 | 524035 | Gear Case (Complete) | 1 |
| 16 | 63003 | Lock Washer 5/16 | 1 | | | Requires 5 Oz. L-2 Compound | 1 |
| 17 | 59022 | Cap Screw 5/16-18 x 3/4 | 1 l | 31 | 80 | 16 Oz. L2 Compound | 5 |



Gear Case Aluminum

Models 924050, 74, 75

| ITEM NO | PART NO | DESCRIPTION | QTY | ITEM No | PART NO | DESCRIPTION | QTY |
|------------|------------|-------------------------------|-----|------------|------------|------------------------------|-----|
| 1 | 58037 | Roll Pin 1/4 x 1-3/4 | 2 | 14 | 58030 | Roll Pin 3/16 x 1-1/2 | 2 |
| 2 | 24237 | Impeller | 1 | 15 | 55122 | Flange Bushing | 2 |
| 3 | 56047 | 0-Ring 3/4 ID | 1 | 16 | 55111 | Flange Bushing | 1 |
| 4 | 55112 | Flange Bushing | 1 | 17 | 64166 | Washer 1.002/1.012 x 1.5 | ż |
| 5 | 32103 | Thrust Collar | 1 | 18 | 58069 | Groove Pin 5/16 x 1-7/16 | 1 |
| 6 | 58045 | Groove Pin 3/16 x 1-1/4 | 1 | 19 | 32038 | Gasket | i |
| 7 | 66001 | Woodruff Key 3/16 x 7/8 x 3/8 | 1 | 20 | 24380 | R.H. Gear Case Half | 1 |
| 8 | 524026 | Worm & Gear Shaft Set | 1 | 21 | 65056 | Flange Whiz-Lock Nut 1/4-20 | ά |
| 9 | 24379 | L.H. Gear Case Half | 1 | 22 | 74016 | Taptite 3/8-16 x 1/2 | 1 |
| 10 | 62001 | Carriage Bolt 1/4-20 x 1-1/4 | 2 | 23 | 24383 | Auger Shaft | i |
| 11 | 56061 | Seal 1" ID | 2 | 24 | 524030 | Gear Case (Complete) | i |
| 12 | 74027 | Taptite #10-24 x 3/4 | 2 | | | Requires 2 Oz. Liquid Grease | • |
| 13 | 62054 | Carriage Bolt 1/4-20 x 7/8 | 2 | 25 | 72 | 8 Oz. Tube Liquid Grease | 4 |


Brush

Model 824004

| ITEM PART NO NO | | | | ITEM NO | PART NO | DESCRIPTION | QTY |
|--------------------|-------|-----------------------------|----|------------|------------|--------------------------------|-----|
| 1 | 65015 | Nut 5/16-18 | 21 | 45 | 24306 | U-Joint | 1 |
| 2 | 63003 | Lock Washer 5/16 | 21 | 46 | 24299 | Drive Shaft | 1 |
| 3 | 60011 | Set Screw 1/4-20 | 4 | 47 | 10609 | Sprocket | 1 |
| 4 | 54096 | Bearing | 2 | 48 | 24295 | Stiffener Plate | 1 |
| 5 | 62011 | Carriage Bolt 5/16-18 x 3/4 | 12 | 49 | 2862 | Hub | 1 |
| 6 | 59024 | Cap Screw 1/2-13 x 1" | 4 | 50 | 73070 | Sheave | 1 |
| 7 | 63006 | Lock Washer 1/2 | 2 | 51 | 72108 | V-Belt | 1 |
| 8 | 10629 | Retainer Plate | 2 | | 72130 | V-Belt (71) | 1 |
| 9 | 10605 | Brush Selection (Poly) | 20 | 52 | 65078 | Lock Nut 5/16-18 | 3 |
| 10 | 59208 | Cap Screw 3/8-16 x 3-1/2 | 2 | 53 | 60012 | Set Screw | 2 |
| 11 | 59049 | Cap Screw 3/8-16 x 3" | 1 | 54 | 70053 | Ribbed Neck Bolt 5/16-18 x 3/4 | 3 |
| 12 | 10601 | Hood | 1 | 55 | 59005 | Cap Screw 3/8-16 x 1-1/4 | 2 |
| 13 | 10604 | Core | 1 | 56 | 24004 | Gear Box | 1 |
| 14 | 59003 | Cap Screw 5/16-18 x 1" | 7 | 57 | 24419 | Adapter Frame | 1 |
| 15 | 64002 | Washer 5/16 | 14 | 58 | 70026 | Retainer Nut | 2 |
| 16 | 10608 | Chain | 1 | 59 | 70031 | Lock Screw 3/8-16 x 3/4 | 2 |
| 17 | 65039 | Locknut 3/8-16 | 2 | 60 | 66003 | Woodruff Key 3/16 x 5/8 x 5/16 | 2 |
| 18 | 10602 | Idler Arm | 1 | 61 | 24298 | Sprocket | 1 |
| 19 | 55066 | Bushing | 1 | 62 | 12078 | Chain | 1 |
| 20 | 59068 | Cap Screw 3/8-16 x 2" | 1 | 63 | 83033 | Extension Spring | 1 |
| 21 | 10613 | Chain Tightener | 1 | 64 | 75015 | Shift Ball | 1 |
| 22 | 64008 | Washer 3/8 | 4 | 65 | 1057 | Position Rod | 1 |
| 23 | 83088 | Spring | 1 | 66 | 22065 | Position Support Bracket | 1 |
| 24 | 63004 | Lock Washer 3/8 | 3 | 67 | 65042 | Lock Nut 5/16-18 | 6 |
| 25 | 24293 | Shaft Guard | 1 | 68 | 70027 | Lock Screw 5/16-18 x 3/4 | 2 |
| 26 | 10600 | Brush Frame | 1 | 69 | 62022 | Carriage Bolt 5/16-18 x 1-3/8 | 1 |
| 27 | 65088 | Speed Nut 5/16-18 | 2 | 70 | 24287 | Release Rod | 1 |
| 28 | 10612 | Chain Shield | 1 | 71 | 25353 | Clamp | 2 |
| 29 | 59004 | Cap Screw 3/8-16 x 1" | 1 | 72 | 6071 | Spacer Bushing | 2 |
| 30 | 65059 | Lock Nut 3/8-16 | 5 | 73 | 64082 | Washer 5/16 | 2 |
| 31 | 65122 | Lock Nut 3/8-16 | 2 | 74 | 24292 | Bottom Mount | 1 |
| 32 | 24477 | Castor Leg | 2 | 75 | 24418 | Latch Bar | 1 |
| 33 | 71094 | Castor | 2 | 76 | 10603 | Hood Strap | 1 |
| 34 | 59022 | Cap Screw 5/16-18 x 3/4 | 10 | 77 | 59057 | Cap Screw 5/16-18 x 1-1/4 | 1 |
| 35 | 24291 | Shaft | 1 | 78 | 24417 | Top Mount | 1 |
| 36 | 24296 | Bearing Flange | 8 | 79 | 64044 | Washer 21/64 | 2 |
| 37 | 54097 | Bearing | 3 | 80 | 83003 | Spring | 1 |
| 38 | 64185 | Washer | 2 | 81 | 24236 | Belt Retainer | 1 |
| 39 | 58056 | Roll Pin 3/16 x 1-3/4 | 1 | 82 | 59028 | Cap Screw 1/4-20 x 1/2 | 2 |
| 40 | 10620 | Sprocket | 1 | 83 | 65040 | Lock Nut 1/4-20 | 2 |
| 41 | 24476 | Spacer | 1 | 84 | 65018 | Lock Nut 3/8-16 | 2 |
| 42 | 65124 | Nut 5/16-18 | 2 | 85 | 24294 | Mounting Plate | 1 |
| 43 | 59023 | Cap Screw 3/8-16 | 4 | 86 | 64079 | Washer 11/32 | 2 |
| 44 | 58030 | Roll Pin 3/16 x 1-1/2 | 1 | | - · - · • | | _ |

Alternator/Headlight

Models 924071, 73 Models 724039, 40, 41, 44



| ITEM PART NO NO | DESCRIPTION | ITEM NO | PART NO | DESCRIPTION |
|--------------------|---|------------|------------|---|
| 1 | *Alternator Shaft 4" 8 HP (924050) | 9 | 64044 | Washer 1/4 |
| | S/N 050501X 071901) (Tec. 590611) | 10 | 69099 | Conduit Clamp |
| • | *Alternator Shaft 3" | 11 | 24560 | Headlight Assembly (39) |
| | (Tec. 590613) (932000 Series and | | 24571 | Headlight Assembly (71, 73) |
| | 5-7 HP on 924000) *Alternator Shaft 3-1/2" | | 24569 | Headlight Assembly (40, 41, 44, 73, 76) (Consists of items 12 thru 21) |
| aga Telebasa Ase | (924050 S/N 071901X (Tec. 590636) | 12 | 24358 | Headlight GE No. 4411 (71, 73) |
| 2 | *Centering Tube 2.7 to 7 HP | | 31149 | Headlight GE No. 4414 (39,40,41,44,73 |
| | (Tec. 590610) | 13 | 24099 | Push Button Switch (39) |
| | *Centering Tube 8 and 10 HP | 14 | 24100 | Switch Boot (39) |
| | (Tec. 590609) | 15 | 24098 | U-Bracket |
| 3 | *Alternator (Tec. 611077) | 16 | 63032 | Lock Washer 5/16 |
| 4 74076 | Self-Tapping Screw No. 8-18 x 1-1/8 | 17 | 59131 | Cap Screw 5/16-18 x 2-1/2 |
| 74084 | Self-Tapping Screw No. 8-18 x 1-1/4 | 18 | 62015 | Carriage Bolt, 5/16-18 x 1" |
| 5 | *Lighting Connector (Tec. 611078) | 19 | 63003 | Lock Washer 5/16 |
| 6 24561 | Headlight Bracket | 20 | 65015 | Nut 5/16-18 |
| 7 59062 | Cap Screw 1/4-20 x 1-1/4 | 21 | 65078 | Flange Whizlock Nut 5/16-18 |
| 8 65040 | (932001, 4, 6, 7, 15, 18) Lock Nut 1/4-20 | 22 | 24598 | Spacer (44) |

⁽A) Model 924073 <012400 (B) Model 924073 012401>


120 Volt Electric Starter

Model 724035 Electric Starter Kits (120 Volt) Fit Models 924074 and 924075

Model 724036 Electric Starter Kits (120 Volt) Fit Models 924050, 924051 Or 924073


Model 724019 Electric Starter Kit (120 Volt) Fits Model 924071

Order Parts From Authorized Tecumseh Dealer Under Starter Number. For Model 724035 Tec. No. 33328B Model 724036 Tec. No. 33329B




12 Volt Starter

Model 724016 Fits Model 924074, 75 Model 724017 Fits Models 924050 and 924073



| TEM NO | PART NO | DESCRIPTION | |
|-----------|------------|---|--|
| 1 | 24464 | Bracket | |
| 2 | 30577 | Solenoid | |
| 3 | 59028 | Cap Screw 1/4-20 x 1/2 | |
| 4 | 65040 | Lock Nut 1/4 | |
| 5 | | Starter Motor, Tecumseh No. 33606 (724016) | |
| | | Starter Motor, Tecumseh No. 33605 (724017) | |
| 6 | 24465 | Wiring Harness | |
| 7 | 24583 | Starter Cable | |
| 8 | 24462 | Jumper Cable | |
| 9 | 24463 | Adapter Lead | |
| 10 | 75057 | Insulator | |
| 11 | 27396 | Ignition Switch Assembly | |
| 12 | 78695 | Decal | |
| 13 | 70045 | Sems Cap Screw | |
| 14 | 63019 | Lock Washer | |
| 15 | 13157 | Keys | |
| 16 | 69099 | Clamp | |
| 17 | 32267 | Ground Wire | |
| 18 | 69053 | Tie | |
| 19 | 65075 | Key Switch Nut | |

For Use On 924000 Series Sno-Thros Equipped With Briggs & Stratton Engines Fits Model 924071




| NO. | PART No. | DESCRIPTION |
|-----|-------------|--|
| 1 | 024512 | Bracket |
| 2 | 030577 | Solenoid (Includes nuts) |
| 3 | 059028 | Cap Screw 1/4-20 x 1/2 |
| 4 | 065040 | Locknut 1/4 |
| 5 | | Starter Motor B & S No. 392749* |
| 6 | 024465 | Wiring Harness |
| 7 | 024583 | Starter Cable |
| 8 | 024462 | Jumper Cable |
| 9 | 024463 | Adapter Lead |
| 10 | | Ignition Switch Assembly |
| | 078695 | Decal |
| 12 | | Cap Screw 5/16-18 x 3/4 (For Starter Motor) |
| 13 | 063003 | Lock Washer (For Starter Motor) |
| 14 | 013157 | Keys (Not Shown) |
| 15 | 074035 | Tapping Screw (For Cover-Shield |
| 16 | | Cover-Shield, B & S No. 390233* |
| 17 | 069099 | Clamp |


^{*}Order replacement from Briggs & Stratton dealer only.

Differential

724015 Fits 924074 710983 Fits 924075




| ITEM No. | PART NO. | DESCRIPTION | ITEM PART NO. NO. | DESCRIPTION |
|-------------|-------------|--------------------------------|----------------------|--------------------------------|
| 1 | 003377 | Hub Cap (724015) | 12 524053 | Differential Assembly (724015) |
| 2 | 010366 | Push Nut | 512020 | Differential Assembly (710983) |
| 3 | 064042 | Washer 3/4 (710983) | 13 524055 | L.H. Axle Assembly (724015) |
| 4 | 003376 | Spindle Cup | 510030 | L.H. Axle Assembly (710983) |
| 5 | 024363 | Bearing Retainer (724015) | 14 055075 | Bushing (724015) |
| | 012023 | Bearing Support | 055029 | Bushing (710983) |
| 6 | 054136 | Bearing (724015) | 15 063025 | Lock Washer 1/4 Ext. |
| | 055030 | Bushing (710983) | 16 022093 | Zerk Fitting |
| 7 | 064170 | Washer 1-1/8 (724015) | 17 055029 | Bushing |
| | 064036 | Washer 7/8 (710983) | 18 058042 | Groove Pin 1/4 x 1-3/4 |
| 8 | 070011 | Ribbed Neck Bolt | 19 524059 | Lockout Hub Assembly |
| 9 | 065056 | Lock Nut | 20 058032 | Roll Pin 3/32 x 1" |
| 10 | 024409 | R.H. Axle (724015) | 21 010375 | Knob |
| | 010370 | R.H. Axle (710983) | 22 010372 | Lockout Hub |
| 11 | 058030 | Roll Pin 3/16 x 1-1/2 (724015) | 23 083007 | Compressing Spring |
| | 058003 | Roll Pin 3/16 x 1-1/4 (710983) | 24 010374 | Pin |



| ITEM | PART | |
|------|--------|-----------------------------|
| NO. | NO. | DESCRIPTION |
| 1 . | 010242 | Slicer Bar |
| 2 | 062009 | Carriage Bolt 5/16-18 x 1/2 |
| . 3 | 065042 | Locknut 5/16-18 |

Tire Chains

Models 703944, 703985, 724011



Order Model 703944 Tire Chains to fit Model 924050 or 924051 (Tire Size: 4.80/4.00 x 8)


Order Model 703985 Tire Chains to fit Model 924071 or 924073 (Tire Size: 16/6.50 x 8)

Order Model 724011 Tire Chains to fit Model 924074 or 924075 (Tire Size: 4.10/3.00 x 6)

Adaptor and Air Cleaner

For Use On 924000 Series Sno-Thros Equipped With Briggs & Stratton Engines

Model 724028



| ITEM NO. | PART NO. | DESCRIPTION |
|-------------|-------------|--|
| 1 | 024517 | Air Cleaner Gaskets* (270986) |
| 2 | 024522 | Air Cleaner Base* (223268) |
| 3 | 024518 | Air Cleaner Foam Filter* (270782) |
| 4 | 024519 | Air Cleaner Cartridge* (390930) |
| 5 | 065146 | Wing Nut |
| 6 | 072132 | V-Belt (Rotary Mower Attachment) |
| 7 | 024515 | Bracket (Electric Start Kit) |
| 8 | 024516 | Belt Guard Plate (Rotary Mower & Brush Attachment) |
| 9 | 075035 | Sheet Metal Screws |
| 10 | 024521 | Air Cleaner Cover* (222271) |
| 11 | 024007 | Fuel Line |
| 12 | 075127 | Cover |

^{*}Parts are available from Briggs & Stratton Dealers only. Order by Briggs Parts No. listed in parenthesis.

Tecumseh Air Cleaner

Model 24005

